

Web Images Groups News Froogle<sup>New!</sup> more »

port c code java

Search

Advanced Search  
Preferences

## Web

Results 1 - 10 of about 421,000 for **port c code java**. (0.55 seconds)freshmeat.net: Welcome to freshmeat.net

... **Ports** of Regina are available for most popular operating systems. ... of the program without having to edit the **code**. ... Being a 100% pure **Java** tool, the software can ...

www.freecode.com/ - 101k - May 17, 2004 - [Cached](#) - [Similar pages](#)

Free C/C++ Libraries, Source Code and Frameworks(thefreecountry.

... is a library that eases the work needed to **port** Unix programs ... Source **code** is also available for download ... Versions are available for **C**, Fortran 77 and Fortran 90 ...

www.thefreecountry.com/sourcecode/cpp.shtml - [Similar pages](#)

Tru\_to Solaris Migration Tool for C/C++ Source Code

... Tru\_to Solaris Migration tool for **C/C++** Source **Code** application is based on **Java** technology and is used to identify **porting** issues in **C/C++** source **code** files. ...

developers.sun.com/prodtech/solaris/downloads/tru\_to\_solaris/ - 19k - May 17, 2004 - [Cached](#) - [Similar pages](#)

X-Designer Code Generation

... From a single design X-Designer can generate: **Java Code C++** for Microsoft Windows (MFC) C++ for X/Motif Fully **portable C** UIL Ada 95 In addition Makefiles and ...

www.ist.co.uk/xd/codegen.html - 34k - [Cached](#) - [Similar pages](#)

A Java Environment for the Commodore

... The leJOS **code** is written in ANSI **C** and is very **portable** to ... This makes it an ideal candidate to **port** over to the 64kb Commodore 64. Phase One: c64 LUnix JVM. ...

www.mts.net/~kbagnall/commodore/java.html - 9k - [Cached](#) - [Similar pages](#)

JavaRPC - White Paper

To maintain full compatibility between Sun RPC and JavaRPC, it is important to **port** the original **C code** for Sun RPC directly to **Java** without major alterations. ...

netbula.com/javarpcc/paper\_short.html - 24k - [Cached](#) - [Similar pages](#)

Porting: Getting Started With Porting

... **C** allows you to integrate C++ and **C code** into Cocoa ... **Java-Cocoa** allows you to integrate some **Java code**. ... development kit (JDK), which makes **porting Java code** easy ...

developer.apple.com/referencelibrary/GettingStarted/GS\_Porting/ - 16k - [Cached](#) - [Similar pages](#)

parallel port programming in C site:edu

... in c++ **java** download how **Java** Scripts wants parallel **port** programming in **c** site:edu tetris source **code** flew together firstly, free online **java** games face it. ...

www.irissoundtrack.com/programming\_x?free=p4&Color=starting&c=javascript - 11k - [Cached](#) - [Similar pages](#)

The answer to the question "Will Java remain 'open'?"

... is no **portable Java** way to do it. You will need to resort to writing **Java** native methods -- that is, **C code** which does the actual work. You write **Java** "wrappers ...

www.javaworld.com/javaworld/jw-10-1996/jw-10-javaqa.html - 35k - [Cached](#) - [Similar pages](#)

## Sponsored Links

Free Java Code

Visit our **Java** Knowledge Base News, Q&As, Documents, and more java.ittoolbox.com

[See your message here...](#)

BEST AVAILABLE COPY


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#)<sup>New!</sup> [more »](#)

runstaticinitializers()

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Results 1 - 9 of about 14 for runstaticinitializers(). (0.38 seconds)

J2ME-CDC-INTEREST archives -- October 2001 (#4)

... lcdui.Font.&lt;init&gt;(III)V(Font.java:141) &gt; &gt; at javax.microedition.lcdui.Font.&lt;clinit&gt;()V(Font.java:371)

&gt; &gt; at java.lang.Class.runStaticInitializers()V(Class ...

archives.java.sun.com/cgi-bin/wa?A2=ind0110&L=j2me-cdc-interest&F=&S=&P=432 - 13k - [Cached](#) - [Similar pages](#)J2ME-CDC-INTEREST archives -- August 2001 (#67)

... lcdui.Font.&lt;init&gt;(III)V(Font.java:141) at javax.microedition.lcdui.Font.&lt;clinit&gt;()V(Font.java:371)

at java.lang.Class.runStaticInitializers()V(Class.java:1499 ...

archives.java.sun.com/cgi-bin/wa?A2=ind0108&L=j2me-cdc-interest&F=&S=&P=7376 - 11k - [Cached](#) -[Similar pages](#)[ [More results from archives.java.sun.com](#) ]The Guideline to Read Source Code of Java™ 2 SDK, Standard ...

... / [3.1.1.1.1.1.2.1.1.1.1] InitClass(ClassClass \* cb) { LinkClass(cb); //

Find super class RunStaticInitializers(cb); [3.1.1.1.1.2.1.1.1.1.1 ...

www.cs.ualberta.ca/~lihang/jvm/Doc/read\_jvm\_1.2.2\_src.txt - 29k - [Cached](#) - [Similar pages](#)Geocrawler.com - freebsd-java - awt app always abort when exit ...

... 0x0, mb=0x828a130, isStaticCall=TRUE) &gt; at ../src/share/javavm/runtime/interpreter.c:427

&gt; #19 0x2819e01a in RunStaticInitializers (cb=0x28ef2228) &gt; at ...

www.geocrawler.com/archives/3/162/2002/10/0/10020760/ - 17k - [Cached](#) - [Similar pages](#)Geocrawler.com - freebsd-java - awt app always abort when exit ...

... signature=0x0, mb=0x828a130, isStaticCall=TRUE) at ../src/share/javavm/runtime/interpreter.c:427

#19 0x2819e01a in RunStaticInitializers (cb=0x28ef2228 ...

www.geocrawler.com/archives/3/162/2002/10/0/10020680/ - 19k - [Cached](#) - [Similar pages](#)[ [More results from www.geocrawler.com](#) ]interpreter.h 1.119 98/02/10 \* \* Copyright (c) 1995, 1996 Sun ...

... char \*, bool\_t resolve); ClassClass \*FindClassFromClass(struct execenv \*, char \*,

bool\_t resolve, ClassClass \*from); bool\_t RunStaticInitializers(ClassClass \*cb ...

www.mit.edu/afs/athena/software/java\_v1.1.6/include.i386\_linux3/interpreter.h - 21k - [Cached](#) - [Similar pages](#)Ugly fix patchset7 + XIM server(was: patchset 7 crash under ...File Format: Unrecognized - [View as HTML](#)

... at ../src/share/javavm/runtime/interpreter.c:427. &gt;#23 0x28183046

in RunStaticInitializers (cb=0x28eedb88) at. &gt;../src ...

www.mail-archive.com/freebsd-current@freebsd.org/msg41528.html - [Similar pages](#)C-Funktionen zum Zugriff auf Java

... JavaExecEnv \*DefaultExecEnv; void InitializeInterpreter(void); bool\_t ExecuteJava(unsigned

char \*, JavaExecEnv \* ee); void RunStaticInitializers(ClassClass \* cb ...

userpage.ukbf.fu-berlin.de/~hangloos/c\_in\_java/node121.html - 6k - [Cached](#) - [Similar pages](#)www.phenix.bnl.gov/phenix/WWW/online/netscape/netscape

... invokeSynchronizedNativeMethod invokeLazyNativeMethod invokeAbstractMethod dynoLink

newobject RunStaticInitializers InitializeInvoker SignalError adddec ...

101k - [Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 9 already displayed.*

BEST AVAILABLE COPY


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#)<sup>New!</sup> [more »](#)

method.invoke() recursion

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Results 1 - 10 of about 96 for **method.invoke() recursion**. (0.19 seconds)

[package org.enhydra.xml.binding; import java.io.IOException ...](#)

... Object</code> is \* converted into an XML element (in JDOM form), using **recursion**

for any ... Get the value for this method try { Object o = **method.invoke**(obj, new ...

[www-900.ibm.com/developerWorks/cn/java/ data-binding4/Marshaller.html](#) - 6k - [Cached](#) - [Similar pages](#)

### Sorting out Differences

... returnValue = **method.invoke**(currentObject, parameterValues);. ... He also presents

a version of QuickSort with **recursion** removed (see Resources). ...

[www.fawcette.com/archives/premier/mgznarch/ javapro/2001/04apr01/js0104/js0104.asp](#) - 22k - [Cached](#) - [Similar pages](#)

### Bug 47213 - Inefficient **recursion** while initializing classpath ...

... Inefficient **recursion** while initializing classpath container. ... invoke (DelegatingMethodAccessorImpl.java:25)

at java.lang.reflect.**Method.invoke**(Method.java:324 ...

[bugs.eclipse.org/bugs/show\\_bug.cgi?id=47213](#) - 44k - [Cached](#) - [Similar pages](#)

### Bug 43226 - Deadlock using 0916

... invoke(DelegatingMethodAccessorImpl.java:25) at java.lang.reflect.**Method.invoke**(Method.java:324 ... is not restored properly when expanded to display the **recursion**. ...

[bugs.eclipse.org/bugs/show\\_bug.cgi?id=43226](#) - 36k - [Cached](#) - [Similar pages](#)

### AAL parser

... Problem left **recursion**. Left **recursion** results in not terminating loops: ... Resolution of **method invoke**, polymorphic functions, parameter matching.

[www.artefaktur.com/acdk/modules/aal/docs/ acdk\\_aal\\_concept\\_parser-en.html](#) - 20k - [Cached](#) - [Similar pages](#)

### CSC 330 Lecture Notes Week 4

... The method **Method.invoke** is the means to invoke a method through a method ... explicit branching, eg, goto; **recursion**, ie, recursively-defined functions. In practice ...

[www.csc.calpoly.edu/~gfisher/ classes/330/lectures/4.html](#) - 27k - [Cached](#) - [Similar pages](#)

### Castor Development List: Re: [castor-dev] Problem with ...

... DelegatingMethodAccessorImpl.java:25) at java.lang.reflect.**Method.invoke**(Method.java ... startElement Method in the UnmarshallHandler, there's a **recursion** and he ...

[hypermail.linklord.com/castor-dev/2004/Mar/3747.html](#) - 10k - [Cached](#) - [Similar pages](#)

### CS125 - Summer 2001

... **Recursion** is the mechanism of having a **method invoke** an instance of itself or, in other words, having a method send itself with differing paramters as a method ...

[www.cen.uiuc.edu/~ksmall/teaching/cs125/week10.html](#) - 5k - [Cached](#) - [Similar pages](#)

### [PDF] Selective Open **Recursion**: A Solution to the Fragile Base Class ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... but these idioms can also be expressed by having the public **method invoke** a protected ... so overriding them is use- ful only in the presence of open **recursion**. ...

[www-2.cs.cmu.edu/~aldrich/papers/ selective-open-recursion.pdf](#) - [Similar pages](#)

### [PDF] Problem Set 6

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... public int invoke(); } In addition to its single nullay instance **method invoke**, each class ... 1 In the body of test-table, the **recursion**-defining sugar (let I ((I ...

[cs.wellesley.edu/~cs251/ps6.pdf](#) - [Similar pages](#)

BEST AVAILABLE COPY